



中国认可
国际互认
检测
TESTING
CNAS L0317



宁波中盛产品检测有限公司
Ningbo Joysun Product Testing Service Co., Ltd

报检号/No.: 231800045245



检 验
CNAS IB0335

安全数据单 Safety Data Sheet

样品名称:

直流雨水泵 (内含锂离子电池组 11.1V
22.2Wh 2.0Ah)

Battery Rain Water Pump

Name of Goods:

(Lithium-ion battery pack included, 11.1V
22.2Wh 2.0Ah)

编 制:

许海峰

Editor:

Xu Haifeng

审 核:

李锦花

Checker:

Li Jinhua

批 准:

陈丹超

Approver:

Chen Danchao

宁波中盛产品检测有限公司
Ningbo Joysun testing service Co., Ltd.

0106201

地址: 宁波市高新区清逸路66号A幢 电话: 0574-87022622 投诉: 0574-87022702 传真: 0574-87022902 邮编: 315048 网址: www.nbjts.com

声 明

- ① 本报告无本单位检验检测专用章无效;
The report is invalid without the unit testing.
③ 本报告涂改、缺页、部分复印无效;
The report will be invalid if altered, deficient or partly duplicated.

- ② 本报告无授权签字人签名无效;
The report is invalid unless it is signed by authorized signatory.
④ 若非本单位抽样, 本报告仅对来样负责。
The report is responsible for the received samples only, unless they are taken by ourselves.

Safety Data Sheet

安全数据单

Section 1 Identification

第一节 标识

Product Name: Battery Rain Water Pump (Lithium-ion battery pack included, 11.1V, 22.2Wh 2.0Ah)

产品名称: 直流雨水泵 (内含锂离子电池组11.1V, 22.2Wh 2.0Ah)

Supplier by: JUNHE PUMPS HOLDING CO.,LTD.

Yin Western Avenue, Ningbo, Zhejiang Green Mat

Phone Number: +86-574-88036042

Telefax Number: +86-0574-88422722

供应商: 君禾泵业股份有限公司

浙江省宁波市鄞县大道西段青垫

电话: +86-574-88036042

传真: +86-0574-88422722

Emergency phone Number: +86-574-88036042

应急电话: +86-574-88036042

Section 2 Hazard Identification

第二节 危险性概述

Primary Routes of Entry:

进入人体的主要途径:

Skin contact, Skin absorption, Eye contact, Inhalation, and Ingestion: NO

皮肤接触,皮肤吸收,眼接触,吸入,摄入:无

Symptoms of Exposure: N/A

暴露的症状: 不适用。

Skin contact: No effect under routine handling and use.

皮肤接触:日常操作和使用没有影响。

Skin absorption: No effect under routine handling and use.

皮肤吸收: 在日常操作和使用没有影响。

Eye contact: No effect under routine handling and use.

眼接触: 日常操作和使用没有影响。

Inhalation: No effect under routine handling and use.

吸入: 日常操作和使用没有影响。

Reported as Carcinogen: N/A

致癌物报告: 不适用

This product described in this Product Safety Data Sheet are sealed units which are not hazardous when used according to the recommendations of the manufacturer and as long as their integrity is maintained.

在安全数据单中描述的该产品是整体密封的,只要按照制造商的使用建议保持其完整性是不会有危害的。

Do not open, puncture, incinerate, crush, deform, disassemble, force discharge, expose to water, or expose to temperatures above the declared operating temperature range of the product. Fire, explosion and severe burn hazards may occur in such abuse conditions.

Keep this product away from small children. International Standard IEC 60086-4 contains more

detailed information on safety of lithium batteries.

不要打开、穿刺、焚烧、破碎、变形、拆卸、强力释放、暴露于水，或者暴露于产品允许的使用温度范围之外。在滥用条件下可能发生爆炸、起火、严重烧伤的危害。保持该产品远离小孩。国际标准 IEC 60086-4 包含了关于锂电池的更多的安全信息细节。

Section 3 Composition/Information on Ingredients

第三节 组成/成分信息

Component 组分	CAS Number CAS号	Weight % 质量百分比%
Two methyl carbonate 碳酸二甲酯	616-38-6	13.3%
Vinyl carbonate 碳酸乙烯酯	96-49-1	
Propylene carbonate 碳酸丙烯酯	108-32-7	
Ethyl acetate 乙酸乙酯	141-78-6	
Six lithium fluoride phosphate 六氟磷酸锂	21324-40-3	
Ethylene carbonate 碳酸亚乙烯酯	872-36-6	
Biphenyl 联苯	92-52-4	
Cyclohexyl benzene 环己基苯	827-52-1	
Copper 铜	7440-50-8	6.7%
Aluminium 铝	7429-90-5	3.4%
Carbon 碳	12910-79-3	18.7%
Nickel 镍	7440-02-0	35.1%
Cobalt 钴	7440-48-4	
Manganese 锰	7439-96-5	
Lithium 锂	7439-93-2	
Iron 铁	7439-89-6	15.4%
Polyethylene 聚乙烯	9002-88-4	2.4%

Section 4 First-aid Measures

第四节 急救措施

Eye Contact:

Immediately flush with plenty of water for at least 15 minutes. In severe cases obtain medical

attention

眼睛接触:

迅速用大量水冲洗15分钟以上, 期间提起上下眼睑。速就医

Skin Contact:

Immediately wash off skin with plenty of water for at least 15 minutes. Remove contaminated clothing and wash before reuse. In severe cases obtain medical attention.

皮肤接触:

除去附着衣物, 用大量水冲洗15分钟。速就医。

Inhalation:

Leave area immediately and move to fresh air. If need to given oxygen.

吸入:

移至通风处。如需要给予输氧。

Ingestion:

Drink two cups of milk/water and unconscious of vomiting is prohibited. In severe cases obtain medical attention.

食入:

口服2杯牛奶或水。人员无意识下禁止催吐。速就医。

Section 5 Fire-fighting Measures

第五节 消防措施

Flash point:

Don't involve.

闪点:

不涉及。

Ignition point:

No data.

燃点:

无资料。

Extinguishing Media:

CO₂, dry chemical extinguisher.

灭火剂:

干粉, CO₂。

Fire extinguishing process methods:

Wearing a self-service breathing machine.

灭火过程方法:

佩戴自主呼吸机。

Combustion hazard:

Excessive heat can cause inclusions overflow.

燃爆危害:

过度加热会导致内含物溢出。

Combustion products:

CO₂, CO, lithium metal oxide, excitant gas and toxic gas.

燃烧产物:

二氧化碳, 一氧化碳, 锂的金属氧化物, 气体刺激性和毒性气体。

Section 6 Accidental Release Measures

第六节 意外释放措施

Leakage processing:

When housing of cells contained in this product is damaged, small amounts of electrolyte may

leak, evacuees until the smoke clears. If the battery heat, away from the scene, cooling battery, dissipate steam, adequate ventilation. Avoid skin or eyes contact with steam.

泄漏处理:

如电池发生破损并且电解液泄漏, 疏散人员直至烟雾散尽。用布擦净, 并装入袋子放入钢桶内。如电池灼热, 先远离现场, 冷却电池, 使蒸汽消散。充分通风。避免皮肤或眼睛接触蒸汽。

Waste disposal methods:

Battery discharge should be well, the battery will be discarded due to relevant departments, all waste must refer to the United Nations, the national and local regulations for disposal. With reference to national environmental protection bureau or federal EPA.

废弃物处理方法:

电池应放电完全, 将废弃的电池统一上交于相关部门, 所有废弃物必须参照联合国、国家、地方性法规进行处置, 参照国家环保局或联邦EPA。

Section 7 Handling and Storage

第七节 处置和储存

Battery banned apart, damaged or burning, and forbidden to damage out of electrolyte. Should be stored in an airtight container. Ban on short circuit, over charge, forced discharge, or into the water. Extrusion or puncture the battery is prohibited. Forbidden to battery into the liquid.

电池禁止拆开, 损毁或焚烧, 严禁破损流出电解液。需在密封容器内储存。禁止短路, 过充电, 强制放电, 或投入火中。禁止挤压或刺穿电池。禁止将电池放入液体中。

Operation and storage:

Mechanical or electrical damage battery is prohibited. Store this product in dry, cool, ventilated environment without temperature changed or high temperature. Away from heat source, avoid sunlight for a long time.

The battery in the open, extrusion, in case of fire or high temperature conditions, will cause a fire or explosion, it is forbidden to short-circuit or improper operation.

操作和储存:

禁止机械或电力损伤电池。储存在干燥, 凉爽, 通风的环境中, 避免温度变化或高温。远离热源, 避免长时间阳光照射。

电池在拆开, 挤压, 遇火或高温情况下, 会引起起火或爆炸, 严禁短路或非正常操作。

Section 8 Exposure Controls/Personal Protection

第八节 接触控制/人身保护

Respirator:

If the battery leaks, need to fully ventilated.

呼吸系统:

如电池泄漏, 需充分通风。

Hand protection:

None required under normal use conditions.

手防护:

正常使用下, 不需要。

Personal protection:

None required under normal use conditions.

个人防护:

正常使用下, 不需要。

Other protection:

None required under normal use conditions.

其他防护:

正常使用下，不需要。

Use respirator, butyl gloves, work overalls, chemical goggles when handling leaked product.

如电池发生泄漏，需佩戴呼吸器，防护手套，作业工作服，化学防护镜。

Section 9 Physical and Chemical Properties

第九节 物理和化学特性

Lithium Batteries Standard voltage: 11.1V

锂电池组标准电压: 11.1V

The rated capacity: 2.0Ah

额定电容量: 2.0Ah

Electricity: 22.2Wh

电能: 22.2Wh

Appearance and shape: Black plastics cement shell

外观与性状: 黑色塑料外壳

Chemicals USES: Battery Rain Water Pump

产品用途: 直流雨水泵

Section 10 Stability and Reactivity

第十节 稳定性和反应性

Stability:

Good stability under normal use .

稳定性:

正常使用下，稳定性良好。

Taboo thing :

High temperature, mechanical or electrical damage.

禁忌物:

高温、高热，机械或电力损伤。

Decomposition product :

N/A

热分解产物:

不适用。

Polymerization product:

N/A

聚合产物:

不适用。

If leakage avoid contact with strong oxidant acid, alkali, halogen.

如果泄漏，避免接触强氧化剂，避免接触酸、碱、卤素。

Section 11 Toxicological Information

第十一节 毒理学信息

When the battery damaged, inhalation of skin or eye contact may produce stimulation. Excitant steam can damage the skin, eyes and respiratory mucosa.

当电池破损时，吸入，皮肤接触或眼睛接触可能产生刺激作用。刺激性蒸汽会损伤皮肤，眼睛和呼吸粘膜。

Section 12 Ecological Information

第十二节 生态信息

Ecological Information:

环境影响:

The correct use and disposal of batteries will not cause harm to the environment.

正确使用和处置电池不会对环境产生危害。

The disposal of waste battery, away from water, rain and snow.

处置废弃电池时，远离水源、雨水和雪水。

Section 13 Disposal Considerations

第十三节 处置考虑

If the lithium battery is not completely discharge or only under the condition of partial discharge, partial without running out of lithium exists in the battery, the battery will be treated as hazardous waste has certain harm. It must be approved by the relevant institutions to deal with shall be abandoned. Under the relevant laws and regulations permit, the battery can be recycle.

如果锂电池未完全放电或只部分放电的情况下，由于部分未耗尽的锂存在于电池中，此电池视为具有一定危害的危险废弃物。必须通过经认可的相关机构对其进行处理方可废弃。在相关法律法规许可下，电池可循环再利用。

Section 14 Transport Information

第十四节 运输信息

Air transport ICAO-TI and IATA-DGR 59th

空运ICAO-TI and IATA-DGR 59th

This goods is lithium ion/polymer battery, packed with equipment. Watt-hour rating is 22.2Wh. Each battery is of a type proved to meet the Requirement of each test in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3, Each package is capable of withstanding a 1.2m drop test in any orientation cell contact and without release of contents, Each package is labelled with lithium battery handling label(or mark).

Lithium ion batteries in compliance with Section II of PI 966.

该货物为锂离子/聚合物电池，和设备包装在一起，额定瓦特小时为 22.2Wh，已通过 UN38.3 测试，已通过包装件 1.2 米跌落试验，每个包装件上均有锂电池操作标签（或标记）。锂离子电池符合包装说明 966 第 II 部分。

Maritime transport IMDG 2016

海运IMDG 2016

These products are not subject to other provisions of *IMDG Code* 2016 edition according to special provision 188.

根据《国际海运危规》2016年版的特殊条款188，该样品不受《国际海运危规》2016年版其他规则限制。

Note: the battery should be in the condition of half charge transport packaging boxes, it also should prevent violent vibration, shock, extrusion, and weathered in the process of transportation.

注：该电池应在半荷电状态（20—50%充电状态）下包装成箱进行运输，在运输过程中应防止剧烈振动、冲击或挤压，防止日晒雨淋。具体细节请参照本文第七部分操作处置及储存。

Section 15 Regulatory Information

第十五节 管理信息

China:

The substance is classed as division 9 hazardous chemicals according to Classification and code of dangerous goods (GB 6944-2012、GB 12268-2012).

中国:

常用危险货物分类和品名编号 (GB 6944-2012)、危险货物品名表 (GB 12268-2012)将该物质划为第 9 类危险品。

Section 16 Other Information

第十六节 其他信息

The information is to the best of our knowledge and is just used for health, safety and environmental purpose. It shall not be treated as any form of warranty. Please provide a proper training to the person who may use, manage of this material and those safety-handling persons.

本信息是根据我们所掌握的知识所编制, 仅用于健康、安全和环境的目的。请不要将本信息作为任何形式的担保。请对可能使用、处置和需要安全操作本产品的人员提供必要的培训。

Abbreviation: N/A= Not available or Not applicable

缩写: N/A=不适用

Edit Date: November 12, 2018

编制日期: 2018 年 11 月 12 日

Edit Institution: Ningbo Joysun Product Testing Service Co., Ltd.

编制机构: 宁波中盛产品检测有限公司

Update and Revise: Original edition

修订版本: 初始

Declaim: The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Ningbo Joysun Product Testing Service Co., Ltd. assumes no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.

声明: 此安全数据单是基于客户准确提供的数据而制定的, 我们不对这些信息或由这些信息得到的结果的准确性负责。

宁波中盛产品检测有限公司不对买方、用户及第三方在使用该产品过程中造成的人身伤害或者财产损失负责。产品的买方或用户应承担产品的使用带来的全部风险。

The period of validity of the safety data:

The safety data sheet is based on GHS, TDG, IMDG, IATA-DGR, and "dangerous chemical safety management regulations" and the national standards and other related dangerous chemicals management laws and regulations and standards. The laws and regulations and standards are regularly updated and change.

For the transport of dangerous goods in line with the requirements of the new management, the product safety data sheets should be review and update before November 12, 2019.

安全数据单有效期:

该安全数据单是根据《全球化学品统一分类和标签制度》、《联合国关于危险货物运输的建议书》、《国际海运危险货物规则》、航空运输《危险品规则》、《危险化学品安全管理条例》和国家标准等相关危险化学品管理法律法规和标准进行编制, 而上述法律法规和标准均会定期进行更新和变化。

为使运输的危险货物符合相关最新的管理要求, 该产品安全数据单应于 2019 年 11 月 12 日前进行审核更新。

报告结束End of Report

授权签字人:

AUTHORIZED SIGNATURE:

