



40 YEARS
OF PERFECTION



WORLD CLASS FAMOUS DRY VACUUM CLEANER

Nilfisk GD 930 is the reliable partner for demanding cleaning applications in hotels, schools, offices and hospitals. Rugged and stable with a large dust bag capacity of 15 litres. The ingenious design optimises air flow patterns and reduces energy losses to an absolute minimum, offering one of the quietest professional vacuum cleaners in the world.

The result is tremendous suction power with fantastic durability. This is what keeps our customers returning for the GD 930 year after year.

The multi-layer filtration that is standard on all GD 930 units efficiently captures even microscopically small particles and prevents them from being exhausted back into the atmosphere.

Furthermore, by choosing the excellent HEPA filter filtration system even the tiniest particles are stopped - animal hairs, dust mites or even smaller nuisance dust.

- Excellent sound level
- Outstanding durability with sturdy steel container
- High quality components
- High filling capacity
- 800w fan unit for low energy consumption
- HEPA H13 filtration




The GD 930 is the perfect choice for demanding applications such as offices, hotels and public buildings



The new GD 930Q is specially built for noise sensitive areas with a low comforting background sound pressure level of only 42 dB(A)



Dual speed function



HEPA H13 filter capable of capturing 99.997% of particles down to 0.3 microns




Durable steel container and 15 litre dust bag

SHHHHHH!!

For even quieter operation in noise sensitive areas such as day time cleaning in offices, hospital ward or vacuuming and cleaning in hotels without disturbing or waking up the guests, the GD 930Q is the right choice for you. Q for sure means quiet and with its fantastic sound pressure level of only 42 dB(A), daytime cleaning will be a true option with GD 930Q.

NOISE IN YOUR DAILY LIFE

(sound power level/sound pressure level)



TECHNICAL SPECIFICATIONS

| Description | Unit | GD 930 | GD 930 S2 | GD 930Q |
|-----------------------------|-----------------|-----------|-----------|-----------|
| IP protection class | | II / IP20 | II / IP20 | II / IP20 |
| Rated power | W | 1000 | 1000 | 800 |
| Suction power end of tube | W | 270 | 270 | 235 |
| Airflow | l/sec. | 35 | 24-35 | 23-30 |
| Vacuum at nozzle | kPa | 23 | 23 | 21.5 |
| Sound pressure level BS5414 | dB(A) | 53 | 53/45 | 47/42 |
| Sound power level IEC 704 | dB(A) | 71 | 71/63 | 65/61 |
| Dust bag capacity | litre | 15 | 15 | 15 |
| Main filter area | cm ² | 4900 | 12000 | 12000 |
| HEPA H13 | cm ² | No | Yes | Yes |
| Cable length | m | 15 | 15 | 15 |
| Length x width x height | cm | 45x39x33 | 45x39x33 | 45x39x33 |
| Weight | kg | 7.5 | 7.5 | 7.5 |

Specifications and details are subject to change without prior notice.



Mobile scan for
further info

Nilfisk-Advance A/S
Sognevej 25 · DK-2605 Brøndby · Denmark
Tel.: +45 43 23 81 00 · Fax: +45 43 43 77 00
mail.com@nilfisk-advance.com
www.nilfisk.com

green
moets
clean Read more on nilfisk-advance.com

 **Nilfisk**
trusted since 1906